Select Variables	Area in Miles Diameter from Site Center					Со	mparison Are	as
	0.125	0.25	0.5	0.75	1.0	State	Region	U.S.
Environmental Indicators								
Particulate Matter	6.18	6.18	6.18	6.18	6.17	9.78	9.21	8.3
Ozone	33.9	33.9	33.9	33.9	33.8	48.2	48.9	43
Diesel PM	0.226	0.227	0.227	0.226	0.226	0.468	0.479	0.479
Cancer Risk	28	28	28	28	28	36	35	32
Respiratory Hazard	0.68	0.69	0.69	0.69	0.69	0.55	0.53	0.44
Traffic Proximity	620	610	680	830	910	2000	1700	750
Lead Paint Indicator	0.071	0.071	0.19	0.34	0.34	0.29	0.24	0.28
Superfund Proximity	0.051	0.051	0.052	0.052	0.052	0.18	0.15	0.13
RMP Proximity	2.1	2.2	2.3	2.4	2.6	1.1	0.99	0.74
Hazardous Waste	0.099	0.098	0.097	0.097	0.096	3.4	2.9	4
Wastewater Discharge	3.4E-07	9E-07	1.3E-06	1.8E-06	2.3E-06	17	31	14
Demographic Indicators	6 - %							
Demographic Index	61	62	66	69	67	48%	47%	36%
Minority Population	88	88	88	87	85	62%	59%	39%
Low Income Pop	34	37	43	50	49	34%	34%	33%
Linguistically Isolated	6	11	13	16	17	9%	8%	4%
< H.S. Education	45	45	46	46	44	18%	17%	13%
Population Under 5	6	7	8	9	9	6%	6%	6%
Population Over 64	8	8	8	10	10	13%	14%	15%






0.125 miles Ring Centered at 36.932360,-121.764645, CALIFORNIA, EPA Region 9

Approximate Population: 565

Input Area (sq. miles): 0.05

EJScreen_0.125 miles

Selected Variables	State Percentile	EPA Region Percentile	USA Percentile
EJ Indexes			
EJ Index for PM2.5	59	63	81
EJ Index for Ozone	63	65	83
EJ Index for NATA [*] Diesel PM	57	59	76
EJ Index for NATA [*] Air Toxics Cancer Risk	65	68	84
EJ Index for NATA [*] Respiratory Hazard Index	77	80	91
EJ Index for Traffic Proximity and Volume	61	67	87
EJ Index for Lead Paint Indicator	57	62	76
EJ Index for Superfund Proximity	60	64	81
EJ Index for RMP Proximity	85	88	94
EJ Index for Hazardous Waste Proximity	41	45	68
EJ Index for Wastewater Discharge Indicator	68	70	76








0.125 miles Ring Centered at 36.932360,-121.764645, CALIFORNIA, EPA Region 9

Approximate Population: 565 Input Area (sq. miles): 0.05 EJScreen_0.125 miles



Sites reporting to EPA			
Superfund NPL		0	
Hazardous Waste Treatment, Storage, and D	isposal Facilities (TSDF)	0	





0.125 miles Ring Centered at 36.932360,-121.764645, CALIFORNIA, EPA Region 9

Approximate Population: 565

Input Area (sq. miles): 0.05

EJScreen_0.125 miles

Selected Variables	Value	State Avg.	%ile in State	EPA Region Avg.	%ile in EPA Region	USA Avg.	%ile in USA
Environmental Indicators							
Particulate Matter (PM 2.5 in $\mu g/m^3$)	6.18	9.78	4	9.21	8	8.3	8
Ozone (ppb)	33.9	48.2	12	48.9	10	43	8
NATA [*] Diesel PM (µg/m ³)	0.226	0.468	18	0.479	<50th	0.479	<50th
NATA* Cancer Risk (lifetime risk per million)	28	36	18	35	<50th	32	<50th
NATA [*] Respiratory Hazard Index	0.68	0.55	85	0.53	80-90th	0.44	90-95th
Traffic Proximity and Volume (daily traffic count/distance to road)	620	2000	39	1700	47	750	72
Lead Paint Indicator (% Pre-1960 Housing)	0.071	0.29	32	0.24	41	0.28	32
Superfund Proximity (site count/km distance)	0.051	0.18	31	0.15	36	0.13	43
RMP Proximity (facility count/km distance)	2.1	1.1	85	0.99	87	0.74	91
Hazardous Waste Proximity (facility count/km distance)	0.099	3.4	7	2.9	9	4	18
Wastewater Discharge Indicator (toxicity-weighted concentration/m distance)	3.4E-07	17	52	31	54	14	37
Demographic Indicators							
Demographic Index	61%	48%	69	47%	71	36%	82
Minority Population	88%	62%	77	59%	79	39%	89
Low Income Population	34%	34%	55	34%	55	33%	57
Linguistically Isolated Population	6%	9%	49	8%	54	4%	76
Population With Less Than High School Education	45%	18%	90	17%	91	13%	97
Population Under 5 years of age	6%	6%	50	6%	49	6%	53
Population over 64 years of age	8%	13%	31	14%	31	15%	23

* The National-Scale Air Toxics Assessment (NATA) is EPA's ongoing, comprehensive evaluation of air toxics in the United States. EPA developed the NATA to prioritize air toxics, emission sources, and locations of interest for further study. It is important to remember that NATA provides broad estimates of health risks over geographic areas of the country, not definitive risks to specific individuals or locations. More information on the NATA analysis can be found at: https://www.epa.gov/national-air-toxics-assessment.

EJSCREEN is a screening tool for pre-decisional use only. It can help identify areas that may warrant additional consideration, analysis, or outreach. It does not provide a basis for decision-making, but it may help identify potential areas of EJ concern. Users should keep in mind that screening tools are subject to substantial uncertainty in their demographic and environmental data, particularly when looking at small geographic areas. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports. This screening tool does not provide data on every environmental impact and demographic factor that may be relevant to a particular location. EJSCREEN outputs should be supplemented with additional information and local knowledge before taking any action to address potential EJ concerns.






0.25 miles Ring Centered at 36.932360,-121.764645, CALIFORNIA, EPA Region 9

Approximate Population: 2,188

Input Area (sq. miles): 0.20

EJScreen_0.25 miles

Selected Variables	State Percentile	EPA Region Percentile	USA Percentile
EJ Indexes			
EJ Index for PM2.5	59	63	81
EJ Index for Ozone	63	65	83
EJ Index for NATA [*] Diesel PM	57	59	76
EJ Index for NATA [*] Air Toxics Cancer Risk	65	68	84
EJ Index for NATA [*] Respiratory Hazard Index	77	80	91
EJ Index for Traffic Proximity and Volume	61	67	87
EJ Index for Lead Paint Indicator	57	62	76
EJ Index for Superfund Proximity	60	64	81
EJ Index for RMP Proximity	86	88	95
EJ Index for Hazardous Waste Proximity	41	45	68
EJ Index for Wastewater Discharge Indicator	68	70	76








0.25 miles Ring Centered at 36.932360,-121.764645, CALIFORNIA, EPA Region 9

Approximate Population: 2,188 Input Area (sq. miles): 0.20 EJScreen_0.25 miles



Sites reporting to EPA			
Superfund NPL	0		
Hazardous Waste Treatment, Storage, and Disposal Facilities (TSDF)	0		





0.25 miles Ring Centered at 36.932360,-121.764645, CALIFORNIA, EPA Region 9

Approximate Population: 2,188

Input Area (sq. miles): 0.20

EJScreen_0.25 miles

Selected Variables	Value	State Avg.	%ile in State	EPA Region Avg.	%ile in EPA Region	USA Avg.	%ile in USA
Environmental Indicators							
Particulate Matter (PM 2.5 in μg/m³)	6.18	9.78	4	9.21	8	8.3	8
Ozone (ppb)	33.9	48.2	12	48.9	10	43	8
NATA [*] Diesel PM (µg/m ³)	0.227	0.468	18	0.479	<50th	0.479	<50th
NATA [*] Cancer Risk (lifetime risk per million)	28	36	18	35	<50th	32	<50th
NATA [*] Respiratory Hazard Index	0.69	0.55	86	0.53	80-90th	0.44	90-95th
Traffic Proximity and Volume (daily traffic count/distance to road)	610	2000	39	1700	47	750	72
Lead Paint Indicator (% Pre-1960 Housing)	0.071	0.29	32	0.24	41	0.28	32
Superfund Proximity (site count/km distance)	0.051	0.18	31	0.15	36	0.13	43
RMP Proximity (facility count/km distance)	2.2	1.1	85	0.99	88	0.74	92
Hazardous Waste Proximity (facility count/km distance)	0.098	3.4	7	2.9	9	4	17
Wastewater Discharge Indicator (toxicity-weighted concentration/m distance)	9E-07	17	54	31	56	14	41
Demographic Indicators							
Demographic Index	62%	48%	71	47%	73	36%	83
Minority Population	88%	62%	76	59%	78	39%	88
Low Income Population	37%	34%	59	34%	59	33%	61
Linguistically Isolated Population	11%	9%	65	8%	69	4%	85
Population With Less Than High School Education	45%	18%	90	17%	91	13%	97
Population Under 5 years of age	7%	6%	60	6%	60	6%	63
Population over 64 years of age	8%	13%	29	14%	29	15%	22

* The National-Scale Air Toxics Assessment (NATA) is EPA's ongoing, comprehensive evaluation of air toxics in the United States. EPA developed the NATA to prioritize air toxics, emission sources, and locations of interest for further study. It is important to remember that NATA provides broad estimates of health risks over geographic areas of the country, not definitive risks to specific individuals or locations. More information on the NATA analysis can be found at: https://www.epa.gov/national-air-toxics-assessment.

EJSCREEN is a screening tool for pre-decisional use only. It can help identify areas that may warrant additional consideration, analysis, or outreach. It does not provide a basis for decision-making, but it may help identify potential areas of EJ concern. Users should keep in mind that screening tools are subject to substantial uncertainty in their demographic and environmental data, particularly when looking at small geographic areas. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports. This screening tool does not provide data on every environmental impact and demographic factor that may be relevant to a particular location. EJSCREEN outputs should be supplemented with additional information and local knowledge before taking any action to address potential EJ concerns.






0.5 miles Ring Centered at 36.932360,-121.764645, CALIFORNIA, EPA Region 9

Approximate Population: 5,366

Input Area (sq. miles): 0.79

EJScreen_0.5 miles

Selected Variables	State Percentile	EPA Region Percentile	USA Percentile
EJ Indexes			
EJ Index for PM2.5	61	65	83
EJ Index for Ozone	65	67	85
EJ Index for NATA [*] Diesel PM	59	61	77
EJ Index for NATA [*] Air Toxics Cancer Risk	67	70	85
EJ Index for NATA [*] Respiratory Hazard Index	80	82	93
EJ Index for Traffic Proximity and Volume	65	70	88
EJ Index for Lead Paint Indicator	71	76	86
EJ Index for Superfund Proximity	61	66	82
EJ Index for RMP Proximity	88	90	95
EJ Index for Hazardous Waste Proximity	41	46	69
EJ Index for Wastewater Discharge Indicator	68	70	77








0.5 miles Ring Centered at 36.932360,-121.764645, CALIFORNIA, EPA Region 9

Approximate Population: 5,366 Input Area (sq. miles): 0.79 EJScreen_0.5 miles



Sites reporting to EPA			
Superfund NPL	0		
Hazardous Waste Treatment, Storage, and Disposal Facilities (TSDF)	0		





0.5 miles Ring Centered at 36.932360,-121.764645, CALIFORNIA, EPA Region 9

Approximate Population: 5,366

Input Area (sq. miles): 0.79

EJScreen_0.5 miles

Selected Variables	Value	State Avg.	%ile in State	EPA Region Avg.	%ile in EPA Region	USA Avg.	%ile in USA
Environmental Indicators							
Particulate Matter (PM 2.5 in $\mu g/m^3$)	6.18	9.78	4	9.21	8	8.3	8
Ozone (ppb)	33.9	48.2	12	48.9	10	43	8
NATA [*] Diesel PM (µg/m ³)	0.227	0.468	18	0.479	<50th	0.479	<50th
NATA [*] Cancer Risk (lifetime risk per million)	28	36	18	35	<50th	32	<50th
NATA [*] Respiratory Hazard Index	0.69	0.55	86	0.53	80-90th	0.44	90-95th
Traffic Proximity and Volume (daily traffic count/distance to road)	680	2000	41	1700	50	750	74
Lead Paint Indicator (% Pre-1960 Housing)	0.19	0.29	48	0.24	56	0.28	50
Superfund Proximity (site count/km distance)	0.052	0.18	31	0.15	37	0.13	43
RMP Proximity (facility count/km distance)	2.3	1.1	87	0.99	89	0.74	93
Hazardous Waste Proximity (facility count/km distance)	0.097	3.4	7	2.9	9	4	17
Wastewater Discharge Indicator (toxicity-weighted concentration/m distance)	1.3E-06	17	54	31	56	14	41
Demographic Indicators							
Demographic Index	66%	48%	76	47%	77	36%	86
Minority Population	88%	62%	77	59%	80	39%	89
Low Income Population	43%	34%	67	34%	67	33%	71
Linguistically Isolated Population	13%	9%	72	8%	75	4%	88
Population With Less Than High School Education	46%	18%	90	17%	92	13%	97
Population Under 5 years of age	8%	6%	65	6%	65	6%	68
Population over 64 years of age	8%	13%	29	14%	29	15%	22

* The National-Scale Air Toxics Assessment (NATA) is EPA's ongoing, comprehensive evaluation of air toxics in the United States. EPA developed the NATA to prioritize air toxics, emission sources, and locations of interest for further study. It is important to remember that NATA provides broad estimates of health risks over geographic areas of the country, not definitive risks to specific individuals or locations. More information on the NATA analysis can be found at: https://www.epa.gov/national-air-toxics-assessment.

EJSCREEN is a screening tool for pre-decisional use only. It can help identify areas that may warrant additional consideration, analysis, or outreach. It does not provide a basis for decision-making, but it may help identify potential areas of EJ concern. Users should keep in mind that screening tools are subject to substantial uncertainty in their demographic and environmental data, particularly when looking at small geographic areas. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports. This screening tool does not provide data on every environmental impact and demographic factor that may be relevant to a particular location. EJSCREEN outputs should be supplemented with additional information and local knowledge before taking any action to address potential EJ concerns.






0.75 miles Ring Centered at 36.932360,-121.764645, CALIFORNIA, EPA Region 9

Approximate Population: 12,514

Input Area (sq. miles): 1.77

EJScreen_0.75 miles

Selected Variables	State Percentile	EPA Region Percentile	USA Percentile
EJ Indexes			
EJ Index for PM2.5	63	67	84
EJ Index for Ozone	66	68	85
EJ Index for NATA [*] Diesel PM	59	62	77
EJ Index for NATA [*] Air Toxics Cancer Risk	69	72	86
EJ Index for NATA [*] Respiratory Hazard Index	82	84	93
EJ Index for Traffic Proximity and Volume	68	73	90
EJ Index for Lead Paint Indicator	79	82	90
EJ Index for Superfund Proximity	62	67	82
EJ Index for RMP Proximity	89	91	96
EJ Index for Hazardous Waste Proximity	41	46	69
EJ Index for Wastewater Discharge Indicator	68	70	77








0.75 miles Ring Centered at 36.932360,-121.764645, CALIFORNIA, EPA Region 9

Approximate Population: 12,514 Input Area (sq. miles): 1.77 EJScreen_0.75 miles



Sites reporting to EPA			
Superfund NPL		0	
Hazardous Waste Treatment, Storage, and D	isposal Facilities (TSDF)	0	





0.75 miles Ring Centered at 36.932360,-121.764645, CALIFORNIA, EPA Region 9

Approximate Population: 12,514

Input Area (sq. miles): 1.77

EJScreen_0.75 miles

Selected Variables	Value	State Avg.	%ile in State	EPA Region Avg.	%ile in EPA Region	USA Avg.	%ile in USA
Environmental Indicators							
Particulate Matter (PM 2.5 in $\mu g/m^3$)	6.18	9.78	4	9.21	8	8.3	8
Ozone (ppb)	33.9	48.2	12	48.9	10	43	8
NATA [*] Diesel PM (µg/m ³)	0.226	0.468	18	0.479	<50th	0.479	<50th
NATA [*] Cancer Risk (lifetime risk per million)	28	36	18	35	<50th	32	<50th
NATA [*] Respiratory Hazard Index	0.69	0.55	86	0.53	80-90th	0.44	90-95th
Traffic Proximity and Volume (daily traffic count/distance to road)	830	2000	46	1700	54	750	78
Lead Paint Indicator (% Pre-1960 Housing)	0.34	0.29	61	0.24	68	0.28	65
Superfund Proximity (site count/km distance)	0.052	0.18	31	0.15	37	0.13	43
RMP Proximity (facility count/km distance)	2.4	1.1	87	0.99	89	0.74	93
Hazardous Waste Proximity (facility count/km distance)	0.097	3.4	7	2.9	9	4	17
Wastewater Discharge Indicator	1.8E-06	17	54	31	56	14	42
(toxicity-weighted concentration/m distance)							
Demographic Indicators							
Demographic Index	69%	48%	79	47%	80	36%	88
Minority Population	87%	62%	76	59%	78	39%	88
Low Income Population	50%	34%	75	34%	75	33%	78
Linguistically Isolated Population	16%	9%	78	8%	81	4%	91
Population With Less Than High School Education	46%	18%	91	17%	92	13%	97
Population Under 5 years of age	9%	6%	74	6%	73	6%	76
Population over 64 years of age	10%	13%	44	14%	43	15%	34

* The National-Scale Air Toxics Assessment (NATA) is EPA's ongoing, comprehensive evaluation of air toxics in the United States. EPA developed the NATA to prioritize air toxics, emission sources, and locations of interest for further study. It is important to remember that NATA provides broad estimates of health risks over geographic areas of the country, not definitive risks to specific individuals or locations. More information on the NATA analysis can be found at: https://www.epa.gov/national-air-toxics-assessment.

EJSCREEN is a screening tool for pre-decisional use only. It can help identify areas that may warrant additional consideration, analysis, or outreach. It does not provide a basis for decision-making, but it may help identify potential areas of EJ concern. Users should keep in mind that screening tools are subject to substantial uncertainty in their demographic and environmental data, particularly when looking at small geographic areas. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports. This screening tool does not provide data on every environmental impact and demographic factor that may be relevant to a particular location. EJSCREEN outputs should be supplemented with additional information and local knowledge before taking any action to address potential EJ concerns.






1 miles Ring Centered at 36.932360,-121.764645, CALIFORNIA, EPA Region 9

Approximate Population: 20,246

Input Area (sq. miles): 3.14

EJScreen_1.0 miles

Selected Variables	State Percentile	EPA Region Percentile	USA Percentile
EJ Indexes			
EJ Index for PM2.5	62	66	83
EJ Index for Ozone	66	68	85
EJ Index for NATA [*] Diesel PM	59	62	77
EJ Index for NATA [*] Air Toxics Cancer Risk	68	71	86
EJ Index for NATA [*] Respiratory Hazard Index	81	83	93
EJ Index for Traffic Proximity and Volume	70	75	91
EJ Index for Lead Paint Indicator	80	83	91
EJ Index for Superfund Proximity	62	67	82
EJ Index for RMP Proximity	90	91	96
EJ Index for Hazardous Waste Proximity	41	46	69
EJ Index for Wastewater Discharge Indicator	69	71	77








1 miles Ring Centered at 36.932360,-121.764645, CALIFORNIA, EPA Region 9

Approximate Population: 20,246 Input Area (sq. miles): 3.14 EJScreen_1.0 miles



Sites reporting to EPA	
Superfund NPL	0
Hazardous Waste Treatment, Storage, and Disposal Facilities (TSDF)	0





1 miles Ring Centered at 36.932360,-121.764645, CALIFORNIA, EPA Region 9

Approximate Population: 20,246

Input Area (sq. miles): 3.14

EJScreen_1.0 miles

Selected Variables	Value	State Avg.	%ile in State	EPA Region Avg.	%ile in EPA Region	USA Avg.	%ile in USA
Environmental Indicators							
Particulate Matter (PM 2.5 in $\mu g/m^3$)	6.17	9.78	4	9.21	8	8.3	8
Ozone (ppb)	33.8	48.2	12	48.9	10	43	8
NATA [*] Diesel PM (µg/m ³)	0.226	0.468	18	0.479	<50th	0.479	<50th
NATA [*] Cancer Risk (lifetime risk per million)	28	36	19	35	<50th	32	<50th
NATA [*] Respiratory Hazard Index	0.69	0.55	87	0.53	80-90th	0.44	90-95th
Traffic Proximity and Volume (daily traffic count/distance to road)	910	2000	48	1700	56	750	80
Lead Paint Indicator (% Pre-1960 Housing)	0.34	0.29	62	0.24	68	0.28	66
Superfund Proximity (site count/km distance)	0.052	0.18	31	0.15	37	0.13	43
RMP Proximity (facility count/km distance)	2.6	1.1	89	0.99	90	0.74	94
Hazardous Waste Proximity (facility count/km distance)	0.096	3.4	7	2.9	9	4	17
Wastewater Discharge Indicator	2.3E-06	17	54	31	56	14	42
(toxicity-weighted concentration/m distance)							
Demographic Indicators							
Demographic Index	67%	48%	77	47%	79	36%	87
Minority Population	85%	62%	72	59%	75	39%	87
Low Income Population	49%	34%	74	34%	74	33%	77
Linguistically Isolated Population	17%	9%	80	8%	82	4%	91
Population With Less Than High School Education	44%	18%	89	17%	90	13%	96
Population Under 5 years of age	9%	6%	79	6%	79	6%	81
Population over 64 years of age	10%	13%	38	14%	38	15%	29

* The National-Scale Air Toxics Assessment (NATA) is EPA's ongoing, comprehensive evaluation of air toxics in the United States. EPA developed the NATA to prioritize air toxics, emission sources, and locations of interest for further study. It is important to remember that NATA provides broad estimates of health risks over geographic areas of the country, not definitive risks to specific individuals or locations. More information on the NATA analysis can be found at: https://www.epa.gov/national-air-toxics-assessment.

EJSCREEN is a screening tool for pre-decisional use only. It can help identify areas that may warrant additional consideration, analysis, or outreach. It does not provide a basis for decision-making, but it may help identify potential areas of EJ concern. Users should keep in mind that screening tools are subject to substantial uncertainty in their demographic and environmental data, particularly when looking at small geographic areas. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports. This screening tool does not provide data on every environmental impact and demographic factor that may be relevant to a particular location. EJSCREEN outputs should be supplemented with additional information and local knowledge before taking any action to address potential EJ concerns.